



Herolab

Manufacturer of Life Science Instruments since 1979



HiGen[®] GR

Large Volume Refrigerated Centrifuge
Floor Model up to 4 Liter

HiCen[®] GR for large Volumes, high Throughput and High-Speed-Centrifugation

➤ High-Speed Centrifuges with Flexible Axis!

- This provides the best smooth running.
- The separation of the own centering of the motor and the centering of the installed rotor protects the bearing of the entire drive system.
- Thus, your centrifuge will be maintenance free for a very long time.


Catalog No.	Description		Voltage	Phases	Hz
21 11 650	HiCen GR, Standard for Europe	refrigerated	220-240 V	1	50 Hz
21 11 652	HiCen GR	refrigerated	115 V	1	60 Hz
21 11 654	HiCen GR,	refrigerated	208-230 V	1	60 Hz

- HiCen GR is movable on rollers.
- maximum capacity: **4 x 1.000 ml** with Swing-Out Rotor or Angle Rotor
- 15 angle rotors, 4 swing-out rotors
- speed: 500 – 18,000 rpm, in steps of 100 rpm
- g-force (RCF): 33,688 x g, in steps of 10 x g
- timer: up to 180 min, in 1 min increments, HOLD for longer runs
- 8 acceleration and deceleration ramps
- maintenance free, brushless induction drive
- stainless steel chamber with additional inner guard ring
- overspeed detection, imbalance detection and cut-off
- motorized lid lock, automatic lid opening, emergency lid lock release
- large color display for both current and preset values of speed/g-force, time and temperature



Additional Options (against surcharge)

Cat. No.	Options
21 10 900	Water Cooling System (minimizes the heat output into the laboratory)
20 90 910	Inertgas (Nitrogen) Flushing
20 90 930	Password Protected Start
20 90 940	GLP Conform Data Management
20 90 950	Audible Signal in Case of Error
20 90 970	Operating-Hours Indicator



Swing-out Rotors for

HiCen[®] GR

Cat. No.	Type	Max. Capacity	Max. Speed	Max. g-Force
20 97 100	AS 2.6	For 2 x 3 microplates, incl. 2 carriers for plates up to 80 mm high + 2 plate holders	5,000 rpm	3,075 x g
20 90 501	AS 4.500	4 x 500 ml, Basic rotor, buckets to be ordered separately		
20 90 540	carrier	For 4 x 4 microplates, Set of 4 carriers	4,000 rpm	2,719 x g
20 90 502	buckets	4 round buckets for 1 x 500 ml w.o. caps, resp. for adapters	5,200 rpm	5,290 x g
25 35 51	bottles	Bottles 500ml PPCO (98 x 114 mm) with caps, pack of 4 bottles		
20 90 550	Trunnion rings	4 x (7 x 50 ml F), Set of 4 trunnion rings with adapters	5,200 rpm	5,466 x g
20 90 551	Trunnion rings	4 x (14 x 15 ml F), Set of 4 trunnion rings with adapters	5,200 rpm	5,435 x g
20 70 060	AS 4.750	4 x 750 ml, Basic rotor incl. windshield, buckets to be ordered separately		
20 70 400	carrier	For 4 x 4 microplates, Set of 4 carriers	3,700 rpm	2,693 x g
20 70 100	buckets	4 rectangular buckets for tube racks	4,000 rpm	3,488 x g
20 70 300	buckets	4 round buckets for 1 x 750 ml each w.o. caps, resp. for adapters	3,500 rpm	2,903 x g
20 70 050	AS 4.1000	4 x 1000 ml, Basic rotor, buckets to be ordered separately		
20 70 400	carrier	For 4 x 4 microplates, Set of 4 carriers	3,700 rpm	2,693 x g
20 70 100	buckets	4 rectangular buckets for tube racks	3,600 rpm	2,825 x g
20 70 300	buckets	4 round buckets for 1 x 750 ml each w.o. caps, resp. for adapters	3,500 rpm	2,903 x g
20 70 200	buckets	4 round buckets for 1 x 1000 ml each w.o. caps, resp. for adapters	3,000 rpm	2,334 x g
20 70 950	caps	Caps for round buckets 750 ml or 1000 ml, (pack of 2 caps)		
20 70 650	Trunnion rings	4 x (8 x 50 ml F), Set of 4 rings for AS 4.1000	3,000 rpm	1,977 x g
20 70 615	Trunnion rings	4 x (19 x 15 ml F), Set of 4 rings for AS 4.1000	3,000 rpm	2,038 x g

Angle Rotors (with hermetically sealing lid)

HiGen® GR

Cat. No.	Type	Max. Capacity	Angle	Max. Speed	Max. g-Force
20 96 100	AF 24.2	24 x 1,5/2,2 ml	45°	16,000 rpm	28,620 x g
20 75 100	AF 72.2	72 x 1,5/2,2 ml	40°	12,000 rpm	20,285 x g
20 94 100	AF 20.10	20 x 10 ml	25°	17,500 rpm	33,554 x g
20 35 00	A 12.24	12 x 14 ml	40°	18,000 rpm	33,688 x g
20 26 100	AF 24.16	24 x 16 ml	28°	14,500 rpm	25,904 x g
20 45 100	AF 12.30	12 x 30 ml	28°	15,000 rpm	26,790 x g
20 93 005	AF 8.50.1 Biosafe	8 x 50 ml	34°	15,000 rpm	27,167 x g
20 93 100	AF 8.50.2	8 x 50 ml	25°	16,000 rpm	27,476 x g
20 98 105	AF 8.50.3 Biosafe	8 x 50 ml Falcon	40°	13,500 rpm	21,191 x g
20 44 100	AF 12.50 Biosafe	12 x 50 ml	34°	12,000 rpm	20,929 x g
20 92 105	AF 6.94 Biosafe	6 x 94 ml	25°	16,500 rpm	29,829 x g
20 71 00	A 8.20	8 x 94 ml	25°	13,500 rpm	22,821 x g
20 22 100	AF 6.250	6 x 250 ml	30°	10,500 rpm	17,873 x g
20 23 100	AF 6.500	6 x 500 ml	30°	9,000 rpm	13,946 x g
20 24 100	AF 4.1000	4 x 1000 ml	22°	6,000 rpm	6,774 x g



Cat. No. 20 35 00



Cat. No. 20 93 000



Cat. No. 20 22 100



Cat. No. 20 24 110

Herolab

Tubes and Bottles

For centrifugation

70 mm wide-neck

Ready for your application:
 # from 10 ml up to 1,000 ml filling capacity
 # from different Plastic materials:
 PPCO, PC, PE, PF
 # autoclavable (PPCO, PC, PF)
 # tested for tightness and max. RCF

01-2024



For detailed Information about the comprehensive range of [centrifuge tubes und bottles](#) from our production and their possible use in centrifuges of ours or of other manufacturers please refer to our catalog "Centrifuge Labware".

Specification

HiCen® GR

Catalog-No. (230V, 50/60 Hz, 1 Phase)	21 11 650
Maximum Capacity	4 x 1,000 ml
Maximum Speed	18,000 min ⁻¹
Max. g-Force/RCF (depending on rotor)	33,688 x g
Minimum Speed	> 500 min ⁻¹
Rotor Detection	APRI™ System = Automatic Positive Rotor Identification for Herolab rotors
Program Memory	30 programs
Display	Color TFT Display for current and preset values
User Interface	Operating panel with buttons and one rotary knob
Preset Time	Up to 180 minutes with increments of 1 min., „HOLD“ for longer runs
Preset Speed	From 500 rpm up to max. speed with increments of 100 rpm
Preset g-Force/RCF	With increments of 10 x g
Drive System	Direct self-centering drive system with brushless induction motor
Speed Accuracy	Deviation less than 1 % (typical: 0.5 %)
Acceleration Time (depending on rotor)	30 sec. – 2.5 min.
Deceleration Time (depending on rotor)	40 sec. – 3.5 min.
Acceleration/Deceleration Rates	8 ramps in steps of 30 sec. from 0 to 240 sec. in the range of 0 – 1.000 rpm
Braking System	Dynamic electric brake system
Temperature Set Range	-20°C to +40°C with increments of 1°C
Cooling at Standstill	YES
Temperature Control Accuracy	±2°C on calibrated rotor
Temperature Control System	Bypass System
Sample Protection	±4°C to ±10°C from preset temperature
Overtemperature Protection	YES
Refrigeration System	CFC-free refrigerant



Safety Features	<ul style="list-style-type: none"> Overspeed detection Imbalance detection and cut-off Four point lid fixing Automatic motor driven lid lock with emergency lid lock release Stainless steel chamber with additional inner guard ring
-----------------	--

Dimensions (W x D x H): in cm (in inches)	66,0 x 79,0 x 92,0 (26 x 31,1 x 36,2)
Shipping Dimensions in cm (in inches)	95,0 x 105,0 x 114,0 (37,4 x 41,3 x 44,9)
Net Weight	166 kg (366 lbs)
Gross Weight	199 kg (439 lbs)



WEEE-Reg. No.
DE66734561



Herolab

Herolab GmbH Laborgeräte
Ludwig-Wagner-Str. 12
69168 Wiesloch
GERMANY

Tel.: +49 (0) 6222 – 5802-0
Fax: +49 (0) 6222 – 5802-34
E-Mail: info@herolab.de




Internet: www.herolab.de
2024-01

All products built by Herolab carry the CE sign. Herolab has its own quality management system according to ISO 9001.

Herolab reserves the right to change technical specifications without prior notice.

Tubes and Adapters for Rotors of *HiGen[®] GR*

for Rotors **AF 24.2 + AF 72.2**


Tubes	2.0-2.2 ml	1.5 ml	0.5-0.7 ml	0.25-0.4 ml	0.2 ml
Tubes Ø x Length (mm)	11/13 x 40	11/13 x 40	8/10 x 28-31	Ø 6 mm	PCR [®] Tubes
Material of Tubes + Herolab Cat. No.	Tubes not available from Herolab	Tubes not available from Herolab	Tubes not available from Herolab	Tubes not available from Herolab	Tubes not available from Herolab
Necessary Adapter	---	---			
Herolab Cat. No.	---	---	25 50 06	25 50 05	25 50 07
Tubes per Adapter / Rotor	- / 24 resp. 72	- / 24 resp. 72	1 / 24 resp. 72	1 / 24 resp. 72	1 / 24 resp. 72



Cat. No. 20 75 100



Cat. No. 20 96 100



Cat. No. 25 24 01 / 11 / 41 / 51

Cat. No. 20 94 100



Cat. No. 25 25 70 / 25 80 / 26 60 / 25 90 / 26 90

for Rotor




AF 20.10

A 12.24

Tubes	10 ml AOR	13.5 ml
Tubes Ø x Length (mm)	16 x 80	16 x 76
Material of Tubes + Herolab Cat. No.	PC: 25 24 01 PPCO: 25 24 11 PE: 25 24 41 PF: 25 24 51	PC: 25 24 80
Necessary Adapter	---	---
Herolab Cat. No.	---	---
Tubes per Adapter / Rotor	- / 20	- / 20



Cat. No. 20 35 00

14 ml	5 ml Glass	4.5 / 5 ml	1.5 ml
18 x 75	12 x 75	12 x 75	11/13 x 40
PC: 25 25 70* PE: 25 26 60* PF: 25 25 90* PPCO: 25 26 90*	Tubes not available from Herolab	PP: 25 22 30	Tubes not available from Herolab
---			
---	25 56 40	25 50 73	25 50 71
- / 12	1 / 12	1 / 12	1 / 12

Cat. No. 25 27 00 / 20 / 40 / 51



Cat. No. 20 26 100



* Snap-on caps for 14 ml and 16 ml tubes available (Cat No. 25 45 50 / 25 45 51)

Cat. No. 25 29 51 / 61 / 65 / 71



for Rotor

AF 24.16

AF 12.30

Tubes	16 ml with rim	12/15 ml Glass	10 ml Glass	4.5 / 5 ml	3 ml Glass	1.5 ml
Tubes Ø x Length (mm)	18 x 100	18 x 102	13 x 100	12 x 75	10 x 75	11/13 x 40
Material of Tubes + Herolab Cat. No.	PC: 25 27 00* PPCO: 25 27 20* PE: 25 27 40* PF: 25 27 51*	Tubes not available from Herolab	Tubes not available from Herolab	PP: 25 22 30	Tubes not available from Herolab	Tubes not available from Herolab
Necessary Adapter	---					
Herolab Cat. No.	---	25 58 20	25 56 00	25 50 72	25 55 80	25 50 70
Tubes per Adapter / Rotor	- / 24	1 / 24	1 / 24	1 / 24	1 / 24	1 / 24








Cat.-or. 25 30 20 + 25 46 85


30 ml AOR
25 x 92
PC: 25 29 51 PPCO: 25 29 61 PE: 25 29 65 PF: 25 29 71

- / 12

Tubes and Adapters for *HiGen[®]GR*

for Rotor **AF 8.50.1 + AF 8.50.2 + A 12.17**

Tubes	50ml AOR	50 ml with rim	50 ml with cap	45 ml Glass	30 ml AOR	30 ml Glass	16 ml with rim	12/15 ml Glass
Tubes Ø x Length (mm)	29 x 103	29 x 103	29 x 103	28 x 102	25 x 92	24 x 105	18 x 100	18 x 102
Material of Tubes + Herolab Cat. No.	PC: 25 32 01 PPCO: 25 32 11 PE: 25 32 15 PF: 25 32 21	PC: 25 31 00 PPCO: 25 31 60 PE: 25 31 30 PF: 25 31 51	PC: 25 31 05 PPCO: 25 31 45	Tubes not available from Herolab	PC: 25 29 51 PPCO: 25 29 61 PE: 25 29 65 PF: 25 29 71	Tubes not available from Herolab	PC: 25 27 00 PPCO: 25 27 20 PE: 25 27 40 PF: 25 27 51	Tubes not available from Herolab
Necessary Adapter	---	---	---					
Herolab Cat. No.	---	---	---	25 58 00	25 50 61	25 55 60	25 50 50	25 55 50
Tubes per Adapter / Rotor	- / 8 resp. 12	- / 8 resp. 12	- / 8 resp. 12	1 / 8 resp. 12	1 / 8 resp. 12	1 / 8 resp. 12	1 / 8 resp. 12	1 / 8 resp. 12

Tubes	10ml AOR	10 ml Glass	10 ml Glass	4.5/5 ml	3 ml Glass	1.5 ml	1 ml
Tubes Ø x Length (mm)	16 x 80	18 x 102	13 x 100	12 x 75	10 x 75	11 x 40	7 x 50
Material of Tubes + Herolab Cat. No.	PC: 25 24 01 PPCO: 25 24 11 PE: 25 24 41 PF: 25 24 51	Tubes not available from Herolab	Tubes not available from Herolab	PP: 25 22 30	Tubes not available from Herolab	Tubes not available from Herolab	Tubes not available from Herolab
Necessary Adapter							
Herolab Cat. No.	25 50 30	25 55 40	25 55 30	25 50 11	25 55 10	25 50 10	25 50 00
Tubes per Adapter / Rotor	1 / 8 resp. 12	1 / 8 resp. 12	1 / 8 resp. 12	2 / 16 resp. 24	2 / 16 resp. 24	2 / 16 resp. 24	4 / 32 resp. 48



Cat. No. 20 44 00



Cat. No. 25 32 01 / 11 / 15 / 21



Cat. No. 25 31 05 / 45



Cat. No. 25 31 00 / 60 / 30 / 51

Cat. No. 20 93 000



for Rotor

AF 8.50.3



Kat.-Nr. 20 9§ 100


Cat. No. 20 9& 100

Tubes	50 ml Falcon	30 ml AOR	15 ml Falcon
Tubes Ø x Length (mm)	29 x 118	25 x 92	17 x 122
Material of Tubes + Herolab Cat. No.	Tubes not available from Herolab	PC: 25 29 51 PPCO: 25 29 61 PE: 25 29 65 PF: 25 29 71	Tubes not available from Herolab
Necessary Adapter	---		
Herolab Cat. No.	---	25 50 62	25 53 80
Tubes per Adapter / Rotor	- / 8	1 / 8	1 / 8

Tubes and Adapters for *HiGen® GR*

for Rotor **AF 6.250**

Tubes/Bottles	250 ml	250 ml	200ml	100/120 ml	30 ml Glass	16 ml with rim	12/15 ml	10 ml
Tubes Ø x Length (mm)	62 x 122	62 x 122	60 x 115	40 x 115	24 x 105	18 x 100	18 x 102	13 x 100
Material of Tubes + Herolab Cat. No.	PC: 25 34 01 PPCO: 25 34 21 PE: 25 34 31 PF: 25 34 39 PP black: 25 34 12	round bottom: PC: 25 34 41 PPCO: 25 34 45 PE: 25 34 47 PF: 25 34 49	Tubes not available from Herolab	100 ml: PC: 25 33 00	Tubes not available from Herolab	PC: 25 27 00 PPCO: 25 27 20 PE: 25 27 40 PF: 25 27 51	Tubes not available from Herolab	Tubes not available from Herolab
Necessary Adapter	---							
Herolab Cat. No.	---	25 51 90	25 58 10	25 51 70	25 51 60	25 51 30	25 51 30	25 51 10
Tubes per Adapter / Rotor	-	1 / 6	1 / 6	1 / 6	3 / 18	5 / 30	5 / 30	9 / 54

Tubes	4.5/5 ml	3 ml	1.5 ml
Tubes Ø x Length (mm)	12 x 75	10 x 75	11/13 x 40
Material of Tubes + Herolab Cat. No.	PP: 25 22 30	Tubes not available from Herolab	Tubes not available from Herolab
Necessary Adapter			
Herolab Cat. No.	25 51 00	25 50 90	25 52 10
Tubes per Adapter / Rotor	9 / 54	15 / 90	8 / 48



Cat. No. 25 34 01 / 21 / 31 / 39 / 12



Cat. No. 25 34 41 / 43 / 45 / 47 / 49



Cat. No. 20 22 100

for Rotor **AF 6.500**

Bottles	500 ml
Ø x Length (mm)	70 x 165
Material of Tubes + Herolab Cat. No.	PC: 25 35 01* PPCO: 25 35 21* PE: 25 35 31* PP black: 25 35 12*
Necessary Adapter	---
Herolab Cat. No.	- / 6
Tubes per Adapter / Rotor	



* For safety reasons always use 500 ml bottles with collar support ring. (Catalog No. 25 52 41)!



Cat. No. 25 35 65 / 75

Cat. No. 25 37 80

Cat. No. 25 37 50

Widemouth Bottle

** Use the Ø 98 mm bottles in fixed angle rotors for 98 mm Ø bottles only with cover including support ring. For rotors for 100 mm Ø bottles the stainless-steel cup 25 13 511 should be used as an adapter. Attention: Then pay attention to the total weight per bore! The 100 mm bottles are wide-mouth bottles with an opening of 70 mm.



Cat. No. 25 35 01 / 21 / 31 / 12

AF 4.1000

1000 ml
100 x 181
PPCO: 25 37 50**
98 x 175
Cap with Support Ring: PC: 25 35 65** PPCO: 25 35 75**
98 x 190
PPCO: 25 37 80**

- / 4



Cat. No. 20 24 100

Tubes and Adapters for *HiCen®GR*

for Rotor **AF 6.94 + A 8.20**

Cat. No. 20 71 00



Cat. No. 20 92 100

Cat. No. 25 32 42 / 45 / 47 / 49



Cat. No. 25 32 90 + 25 46 82

Adapter for tubes (38.5 ml), 17 ml, 13.5 ml, 6.5 ml and 4.4 ml are available on request.



Cat. No. 25 30 20 + 25 46 85

94 ml	80 ml AOR
38 x 102	38 x 105
thick-walled PC: 25 32 80 PPCO: 25 32 60 thick-w. w. thread PC: 25 32 90	PC: 25 32 41 PPCO: 25 32 45 PE: 25 32 47 PF: 25 32 49
---	---
---	---
- / 6 bzw. 8	- / 6 bzw. 8

for Rotor **AS 2.6**


Plates	Microtiter Plates	Deepwell Plates
Total Height of Plates	up to 80 mm	up to 80 mm
Material of Tubes + Herolab Cat. No.	Plates not available from Herolab	Plates not available from Herolab
Necessary Adapter	---	---
Herolab Cat. No.	---	---
Tubes per Adapter / Rotor	- / 2-6	- / 2-4

AS 4.750 + AS 4.1000
with set of Microtiter Plate carriers

Microtiter Plates	Deepwell Plates
up to 64 mm	up to 64 mm
Plates not available from Herolab	Plates not available from Herolab
---	---
---	---
- / 4-12	- / 4-8
---	---



Cat. No. 20 70 400



Cat. No. 20 97 105



Cat. No. 20 97 100





Cat. No. 20 70 060



Cat. No. 20 70 050

Tubes and Adapters for *HiGen[®]GR*

for Rotor **AS 4.500**

Tubes/Bottles	500 ml	50 ml Falcon	15 ml Falcon
Tubes Ø x Length (mm)	98 x 114	29 x 118	17 x 122
Material of Tubes + Herolab Cat. No.	PPCO: 25 35 51	Tubes not available from Herolab	Tubes not available from Herolab
Necessary Adapter	---		
Herolab Cat. No.	---	20 90 530	20 90 535
Tubes per Adapter / Rotor	- / 4	5 / 20	8 / 32
(Pack of 2 Adapters)	---		

Cat. No. 20 90 501 + 20 90 511
+ 20 90 530 + 20 90 535



Cat. No. 20 70 060



Cat. No. 25 35 51

for Rotor **AS 4.750 + AS 4.1000**
with set of rectangular buckets for tube racks

Tubes/Bottles	250 ml	100 ml	50 ml Falcon	50ml AOR	50 ml with rim	50 ml with cap	30 ml AOR	15 ml Falcon
Tubes Ø x Length (mm)	62 x 122	40 x 115	29 x 118	29 x 103	29 x 103	29 x 103	25 x 92	17 x 122
Material of Tubes + Herolab Cat. No.	PC: 25 34 01 PPCO: 25 34 21 PE: 25 34 31 PF: 25 34 39 PP black: 25 34 12	PC: 25 33 00	Tubes not available from Herolab	PC: 25 32 01 PPCO: 25 32 11 PE: 25 32 15 PF: 25 32 21	PC: 25 31 00 PPCO: 25 31 60 PE: 25 31 30 PF: 25 31 51	PC: 25 31 05 PPCO: 25 31 45	PC: 25 29 51 PPCO: 25 29 61 PE: 25 29 65 PF: 25 29 71	Tubes not available from Herolab
Necessary Adapter								
Herolab Cat. No.	20 70 110	20 70 115	20 70 130		20 70 125		20 70 135	20 70 145
Tubes per Adapter / Rotor	4	4	2 / 8		2 / 8		3 / 12	6 / 24

Kat.-Nr. 25 34 01 / 21 / 31 / 39 / 12



Cat. No. 20 70 100

Cat. No.
25 32 01 / 11
25 32 15 / 21

Cat. No.
25 31 00 / 60
25 31 30 / 51

Cat. No.
25 31 05 / 45

Cat. No.
25 29 51 / 61
25 32 65 / 71

Tubes and Adapters for *HiGen[®]GR*



Kat.-Nr. 25 35 62 / 72 Kat.-Nr. 25 35 80 / 81



Kat.-Nr. 20 70 200 Kat.-Nr. 20 70 300

for Rotor **AS 4.750 + AS 4.1000**
with set of round buckets for bottles or adapters

Tubes/Bottles	1000 ml	750 ml	500 ml	250 ml	250 ml	100 ml	50 ml Falcon
Tubes Ø x Length (mm)	98 x 175	98 x 152	70 x 165	62 x 122	Ø 63	40 x 115	29 x 118
Material of Tubes + Herolab Cat. No.	PC: 25 35 62 PPCO: 25 35 72	PC: 25 35 80 PPCO: 25 35 81	PC: 25 35 01* PPCO: 25 35 21* PE: 25 35 31* PP black: 25 35 12*	PC: 25 34 01 PPCO: 25 34 21 PE: 25 34 31 PF: 25 34 39 PP black: 25 34 12	Conical bottles Bottles not available from Herolab	PC: 25 33 00	Tubes not available from Herolab
Necessary Adapter	--- Can only be used in 1000 ml buckets No. 20 70 200 of rotor AS 4.1000 directly	--- Can only be used in 750 ml buckets No. 20 70 300 of rotor AS 4.1000 directly					
Herolab Cat. No.	---	---	20 70 210	20 70 220	20 70 215	20 70 225	20 70 230
Tubes per Adapter / Rotor	- / 4	- / 4	1 / 4	1 / 4	1 / 4	3 / 12	5 / 20

* For safety reasons always use 500 ml bottles with cover support ring (Cat. No. 25 52 41)!



Tubes	50ml AOR	50 ml with rim	50 ml with cap	30 ml AOR	15ml	15 ml Falcon	10ml AOR
Tubes Ø x Length (mm)	29 x 103	29 x 103	29 x 103	25 x 92	17 x 87/119	17 x 122	16 x 80
Material of Tubes + Herolab Cat. No.	PC: 25 32 01 PPCO: 25 32 11 PE: 25 32 15 PF: 25 32 21	PC: 25 31 00 PPCO: 25 31 60 PE: 25 31 30 PF: 25 31 51	PC: 25 31 05 PPCO: 25 31 45	PC: 25 29 51 PPCO: 25 29 61 PE: 25 29 65 PF: 25 29 71	Tubes not available from Herolab	Tubes not available from Herolab	PC: 25 24 01 PPCO: 25 24 11 PE: 25 24 41 PF: 25 24 51
Necessary Adapter							
Herolab Cat. No.	20 70 235			20 70 240	20 70 250	20 70 245	20 70 255
Tubes per Adapter / Rotor	7 / 28			8 / 32	18 / 72	12 / 48	20 / 80

Tubes	7 ml	7 ml	5 ml	0.5 ml
Tubes Ø x Length (mm)	Ø 13.5	Ø 16.5	Ø 13.5	Ø 9.5
Material of Tubes + Herolab Cat. No.	Tubes not available from Herolab	Tubes not available from Herolab	Tubes not available from Herolab	Tubes not available from Herolab
Necessary Adapter				
Herolab Cat. No.	20 70 260	20 70 265	20 70 270	20 70 275
Tubes per Adapter / Rotor	32 / 128	21 / 84	35 / 140	60 / 240

Cat. No. 25 35 01 / 21 / 31 / 12 Cat. No. 25 34 01 / 21 / 31 / 39 / 12



Cat. No. 25 32 01 / 11 / 15 / 21 + 25 31 05 / 45 / 00 / 60 / 30 / 51



Cat. No. 25 32 01 / 11
25 32 15 / 21

Cat. No. 25 31 00 / 60
25 31 30 / 51



Cat. No. 25 31 05 / 45

Cat. No. 25 29 51 / 61
25 32 65 / 71

Herolab Tubes for Rotors of *HiGen® GR*

Cat. No.	Description	Ø x Length (mm)	Pieces/Pack
25 22 30	Tubes 4.5 ml PP-RB	12 x 75	1000
25 24 01	Tubes 10 ml PC-AOR with screw cap	16 x 80	10
25 24 11	Tubes 10 ml PPCO-AOR with screw cap	16 x 80	10
25 24 41	Tubes 10 ml PE-AOR with screw cap	16 x 80	10
25 24 51	Tubes 10 ml PF-AOR with screw cap	16 x 80	2
25 24 70	Tubes 13.5 ml PP-RB	16 x 76	10
25 25 70	Tubes 14 ml PC-RB	18 x 75	10
25 25 80	Tubes 14 ml PP-RB	18 x 75	10
25 25 90	Tubes 14 ml PF-RB	18 x 75	2
25 26 60	Tubes 14 ml PE-RB	18 x 75	10
25 26 90	Tubes 14 ml PPPCO-RB	18 x 75	10
25 27 00	Tubes 16 ml PC-RB/FL	18 x 100	10
25 27 20	Tubes 16 ml PPCO-RB/FL	18 x 100	10
25 27 40	Tubes 16 ml PE-RB/FL	18 x 100	10
25 27 51	Tubes 16 ml PF-RB/FL	18 x 100	2
25 29 51	Tubes 30 ml PC-AOR with screw cap	25 x 92	10
25 29 61	Tubes 30 ml PPCO-AOR with screw cap	25 x 92	10
25 29 65	Tubes 30 ml PE-AOR with screw cap	25 x 92	10
25 29 71	Tubes 30 ml PF-AOR with screw cap	25 x 92	2
25 30 20	Tubes 38.5 ml PC thick-walled with thread UC	25 x 89	50
25 30 40	Tubes 38.5 ml PC thick-walled UC	25 x 89	50
25 30 50	Tubes 38.5 ml PPCO thin-walled UC	25 x 89	50
25 30 60	Tubes 38.5 ml PPCO thick-walled UC	25 x 89	50
25 31 00	Tubes 50 ml PC-RB/FL	29 x 103	10
25 31 05	Tubes 50 ml PC-RB/FL with Loop Cap	29 x 103	10
25 31 30	Tubes 50 ml PE-RB/FL	29 x 103	10
25 31 45	Tubes 50 ml PPCO-RB/FL with Loop Cap	29 x 103	10
25 31 51	Tubes 50 ml PF-RB/FL	29 x 103	2
25 31 60	Tubes 50 ml PPCO-RB/FL	29 x 103	10
25 32 01	Tubes 50 ml PC-AOR with screw cap	29 x 103	10
25 32 11	Tubes 50 ml PPCO-AOR with screw cap	29 x 103	10
25 32 15	Tubes 50 ml PE-AOR with screw cap	29 x 103	10
25 32 21	Tubes 50 ml PF-AOR with screw cap	29 x 103	2
25 32 41	Tubes 80 ml PC-AOR with screw cap	38 x 105	10
25 32 45	Tubes 80 ml PPCO-AOR with screw cap	38 x 105	10
25 32 47	Tubes 80 ml PEC-AOR with screw cap	38 x 105	10
25 32 49	Tubes 80 ml PF-AOR with screw cap	38 x 105	2
25 32 50	Tubes 94 ml PP-RB	38 x 106	10
25 32 60	Tubes 94 ml PPCO thick-walled UC	38 x 102	25
25 32 80	Tubes 94 ml PC thick-walled UC	38 x 102	25
25 32 90	Tubes 94 ml PC thick-walled with thread UC	38 x 102	25
25 33 00	Tubes 100 ml PC-RB/G	40 x 115	2
25 33 10	Tubes 120 ml PP-RB	40 x 115	10
25 34 01	Bottles 250 ml PC-FB with screw cap	62 x 122	6
25 34 12	Bottles 250 ml PP black FB with screw cap	62 x 122	6
25 34 21	Bottles 250 ml PPCO-FB with screw	62 x 122	6
25 34 31	Bottles 250 ml PE-FB with screw cap	62 x 122	6
25 34 39	Bottles 250 ml PF-FB with screw cap	62 x 122	2
25 34 41	Bottles 250 ml PC-RB with screw cap	62 x 122	6
25 34 43	Bottles 250 ml PP-RB with screw cap	62 x 122	6
25 34 45	Bottles 250 ml PPCO-RB with screw cap	62 x 122	6
25 34 47	Bottles 250 ml PE-RB with screw cap	62 x 122	6
25 34 49	Bottles 250 ml PF-RB with screw cap	62 x 122	2
25 34 81	Bottles 290 ml PC-FB with screw cap	62 x 137	6
25 34 87	Bottles 290 ml PE-FB with screw cap	62 x 137	6
25 35 01	Bottles 500 ml PC-FB with screw cap	70 x 165	6
25 35 12	Bottles 500 ml PP black-FB with screw cap	70 x 165	2

25 35 21	Bottles 500 ml PPCO-FB with screw cap	70 x 165	6
25 35 31	Bottles 500 ml PE-FB with screw cap	70 x 165	6
25 35 51	Bottles 500 ml PPCO-FB with screw cap (for AS 4.500 only)	98 x 114	4
25 35 65	Bottles 1000 ml PC-FB with screw cap with neck support ring	98 x 175	4
25 35 75	Bottles 1000 ml PPCO-FB with screw cap with neck support ring	98 x 175	4
25 37 50	Bottles 1000 ml PPCO-FB with sealing cap	100 x 181	4
25 37 80	Bottles 1000 ml PPCO-FB with sealing cap	98 x 190	4
25 45 50	Snap-on Caps for Tubes 14 ml and 16 ml (except for PE)		10
25 45 51	Snap-on Caps for Tubes 14 ml and 16 ml PE		10
25 46 82	Screw cap, aluminum, for UC tubes 94 ml		1
25 46 85	Screw cap, aluminum, for UC tubes 38,5 ml		1
25 52 41	Support ring for bottles 500 ml		6



UC	Ultra Centrifuge Tubes	PPCO	Polypropylene Copolymer
AOR	Advanced Oak Ridge	CB	Conical Bottom
PC	Polycarbonate	FB	Flat Bottom
PE	Polyethylene	RB	Round Bottom
PF	Polyflor®	FL	Flange (Rim)

Herolab reserves the right to change technical specification and prices without prior notice.